



CLASSIC DEALER SAFETY BOOT SF112

Ref: SF112

Variants: 3 (36) , 4 (37) , 5 (38) , 6 (39) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 11 (46) , 12 (47) , 13 (48)

Area of use: Chiller +5 to -5°C , Cold Weather / Ambient

Job role: Driver , Picker



Certification 1: EN ISO 20345:2011
SBP SRC

Certification Valid Until: 14/04/2025

Updated On: 16/06/2024

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

Weight	0.8 kg
Product Material	Leather upper/rubber sole
Packaging	Shoe Box
Storage Instructions	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
Commodity Code	64039996 Men's footwear with outer soles of rubber, plastics or composition leather, with uppers of leather (not covering the ankle), with in-soles of a length \geq 24 cm (excl. 6403.11-00 to 6403.40.00, 6403.99.11, 6403.99.36, 6403.99.50)
Country of Origin	China

Email: sales@flexitog.com
Phone: +44 (0)1692 400 300
Website: <https://www.flexitog.com>

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Netherlands

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk

OVERVIEW

- Double density sole - Extra protection
- 200J Steel Toecap - Steel design provides 200J impact protection
- Steel toe cap
- Steel midsole
- Leather upper
- Double density PU shock absorbent sole
- Fully moulded & removable insole
- Wide fitting for comfort
- Safety rating EN20345 SB-P