



ENDURANCE DRIVE COLD STORE SALOPETTE X29S

Favoured by forklift and pallet truck operators in sub-zero temperatures due to the performance insulation and the high front for maximum warmth.

Ref: X29S

Variants: XS , S , M , L , XL , 2XL , 3XL , 4XL , 5XL , 6XL , SP

Area of use: Cold Store / Freezer -5 to -50°C

Job role: Driver



Certification 1: EN 342:2017
0.387(B) 1 X

Certification Valid Until: 21/12/2027

Updated On: 01/07/2024

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

Weight	1.62 kg
Product Material	Polyester
Packaging	Cardboard Box
Storage Instructions	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored on a hanger.
User Instructions	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Insulation Weight (gsm)	200.0
Colours	Navy/Yellow
CE (cat.)	II
Commodity Code	62034911 Men's or boys' trousers and breeches of artificial fibres, industrial and occupational (excl. knitted or crocheted and bib and brace overalls)
Country of Origin	Bulgaria

Email: sales@flexitog.com
Phone: +44 (0)1692 400 300
Website: <https://www.flexitog.com>

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Netherlands

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk

PRODUCT DATA SHEET



Washing Instruction

A set of standard washing care symbols including: an open book with an 'i' (instructions), a temperature symbol with '40°', a crossed-out triangle (do not bleach), a crossed-out circle (do not tumble dry), a crossed-out triangle (do not iron), a crossed-out square (do not dry clean), a square with a circle inside (tumble dry), and the CE mark.

OVERVIEW

- Manufactured in Europe.
- High Front - Providing greater upper body protection.
- Endurance fabric - maximum strength for greater resistance to wear & tear of the salopettes.
- Clo Insulation - Superior Warmth and Comfort.
- Certified to EN 342:2017 standards, with class 1 breathability
- Adjustable leg length - With our new unique feature, you can now adjust to your desired leg length. (70cm, 75cm, 86 cm)
- Knee Pad pockets for inserting our XK1 Knee Pads.
- Seam Protection - hi viz fabric covering the seams for protection and visibility.

PRODUCT ICONS



PERFORMANCE INSULATION



SUSTAINABLY SOURCED



LIGHTWEIGHT

PRODUCT DATA SHEET



STANDARD 100



1 YEAR WARRANTY

Email: sales@flexitog.com
Phone: +44 (0)1692 400 300
Website: <https://www.flexitog.com>

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Netherlands

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk