

# PRODUCT DATA SHEET

**FlexiTog®**



## SentiFlex Gloves

18 gauge nylon general handling glove, PU dipped for abrasion resistance.

Ref: 4083702

Variants: 7 , 9 , 11 , 8 , 10

Area of use: Cold Weather / Ambient

Gender: Unisex

Updated On: 27/06/2025

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +44 1692 400300  
Website: <https://www.flexitog.com>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
United Kingdom

FlexiTog EU  
Graandijk 1  
5704 RB Helmond  
Netherlands

# PRODUCT DATA SHEET



**FlexiTog®**

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +44 1692 400300  
Website: <https://www.flexitog.com>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
United Kingdom

FlexiTog EU  
Graandijk 1  
5704 RB Helmond  
Netherlands

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font with a registered trademark symbol, set against a solid red rectangular background.

<b>Commodity Code</b>	61161080 Mittens and mitts, impregnated, coated, covered or laminated with plastics or rubber, knitted or crocheted, and gloves, impregnated, coated, covered or laminated with plastics, knitted or crocheted
<b>Country of Origin</b>	China

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +44 1692 400300  
Website: <https://www.flexitog.com>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
United Kingdom

FlexiTog EU  
Graandijk 1  
5704 RB Helmond  
Netherlands

# PRODUCT DATA SHEET



## OVERVIEW

---

- Ultra thin 18 gauge glove for the ultimate in dexterity and breathability. PU dipped for abrasion resistance
- Lightweight, breathable, supple, stretchable and extremely tactile.
- Elasticated knit wrist.
- PU coating gives good grip for handling.
- Low linting construction for minimal contamination

**Content:** 18 gauge knitted nylon glove with PU 3/4 coating.

**Compliance:** General handling glove, EN388 3.1.2.1

**Colour:** Blue/black

**Sizes:** S/7, M/8, L/9, XL/10 and XXL/11