

PRODUCT DATA SHEET

FlexiTog®



Goldfreeze® TG2 Xtreme® Coldstore Gloves

The Goldfreeze® TG2 Xtreme® Coldstore Gloves are high-performance hand protection designed for extreme cold environments. These versatile gloves feature a grain leather palm with Spandex back and PVC reinforcements for durability and grip.

Ref: 4502000

Variants: 7 , 9 , 11 , 10

Area of use: Cold Store / Freezer -5 to -50°C

Gender: Unisex

Updated On: 27/06/2025

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Commodity Code	42032910 Protective gloves of leather or composition leather, for all trades
Country of Origin	China

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET



OVERVIEW

- Suitable for use in chill stores, coldstores, celle frigoriferes, outdoor and cold weather work, skiing and outdoor pursuits.
- Grain leather with Spandex back and PVC reinforcements/grip pads on palms.
- Waterproof membrane to keep hands dry.
- Kevlar stitching to palm for superiour abraision resistance

Content: Grain leather palm, spandex, neoprene, PVC reinforcements on palm. Breathable water repellent membrane. 40g Thinsulate lining.

Compliance: EN388:2016 2.1.2.2. and EN511:2006 1.2.0

Colour: Yellow / Black

Sizes: 7, 9, 10 and 11