

PRODUCT DATA SHEET

FlexiTog®



Goldfreeze® Bergen Coldstore Rigger Boot

The Goldfreeze® Bergen Coldstore Rigger Boot is a superior quality, lightweight zip-side boot designed for extreme cold environments.

Ref: 7307000

Variants: 3 (36) , 4 (37) , 5 (38) , 6 (39) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 11 (46) , 12 (47) , 13 (48) , 14 (49) , 15 (50)

Area of use: Cold Store / Freezer -5 to -50°C

Gender: Unisex

Updated On: 27/06/2025

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font with a registered trademark symbol, set against a solid red rectangular background.

Commodity Code	64034000 Footwear, incorporating a protective metal toecap, with outer soles of rubber, plastics, leather or composition leather and uppers of leather (excl. sports footwear and orthopaedic footwear)
Country of Origin	China

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET



OVERVIEW

- Superior quality lightweight zip side coldstore rigger boot.
- S3 fibreglass toecap and Kevlar midsole.
- Black Apollo leather upper.
- Fully fur lined from top to bottom.
- Flexi PU/nitrile rubber outsole which will not crack at low temperatures, and has SRC slip resistance
- Chunky YKK zip

Content:Upper: Supple anti-cracking full grain Apollo leather.

Lining: Full faux-fur lining.

Internal toecap: NEW fibreglass non-metal technology

Internal midsole: Anti-penetration Kevlar.

Outsole: Flexi PU/Nitrile rubber, anti-cracking

Packaging: 100% Recycled and recyclable cardboard, Sustainable Inks and Adhesive free. Single use plastic free

Compliance: EN ISO 20345 S3 – CI – HRO – SRC

Colour: Black

Sizes: UK 5 – UK 13