

# PRODUCT DATA SHEET

**FlexiTog®**



## Base Be-Dry Chill Safety Shoe (S3 WR CI HRO SRC)

The Base Be-Dry Chill Safety Shoe is a high-performance work shoe featuring water-resistant full grain leather with H2stOp membrane, anti-static properties and non-magnetic construction.

Ref: 730B0894

Variants: 3 (36) , 4 (37) , 5 (38) , 6 (39) , 6.5 (40) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 10.5 (45) , 11 (46) , 12 (47) , 13 (48) , 14 (49) , 15 (50)

Area of use: Chiller +5 to -5°C

Gender: Unisex

Updated On: 07/07/2025

# PRODUCT DATA SHEET



<b>Commodity Code</b>	64039933 Footwear non-identifiable as men's or women's footwear, with outer soles of rubber, plastics or composition leather, with uppers of leather (not covering the ankle), with a vamp made of straps or which has one or several pieces cut out, with sole and heel height $\leq 3$ cm, with in-soles of a length $\geq 24$ cm (excl. 6403.11-00 to 6403.40.00)
<b>Country of Origin</b>	Albania

# PRODUCT DATA SHEET



## OVERVIEW

---

- Anti-static
- Water resistant upper to prevent water penetration
- Non-magnetic - nickel and ferrous free
- 200 joules resistant toe-cap
- Puncture resistant sole
- Shock absorption in the heel region
- Heat resistant 1 minute up to 300°C
- Cold insulation up to -17°C
- Hydrocarbons resistant
- Men's width
- Orthopaedic made to measure footbed, complying with european norms DGUV112-191
- Heat insulation up to 150°C

**Content:** Upper: Water-Resistant Full Grain Leather with H2st0p Membrane **Lining:** SmellStop Antiodor and Antibacterial\* **Internal toecap:** SlimCap **Internal midsole:** Fresh'n Flex

**Outsole:** AirTech Double-Density PU/HRO Rubber Life Plus Technology

**Compliance:** UNI EN ISO 20345:2012 S3 WR CI HRO SRC

**Colour:** Black/Red

**Sizes:** 36 - 50 (UK 3 - 15)