



## SAFETY SHOE S3 SRC ALABAMA FA306

An extremely comfortable and lightweight safety shoe for chilled and ambient areas.

Ref: FA306

Variants: 4 (37) , 5 (38) , 6 (39) , 6.5 (40) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 10.5 (45) , 11 (46) , 12 (47) , 13 (48) , SP

Area of use: Chiller +5 to -5°C , Cold Weather / Ambient

Job role: Driver , Picker , Manager



Certification 1: EN ISO 20345: 2011  
S3 SRC

Updated On: 31/01/2023

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

<b>Weight</b>	1.26
<b>Product Material</b>	Leather upper/rubber sole
<b>Packaging</b>	Cardboard Box
<b>Storage Instructions</b>	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +44 (0)1692 400 300  
Website: <https://www.flexitog.com>

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Netherlands

FlexiTog UK  
FlexiTog Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk

## DESCRIPTION

---

An Extremely comfortable and lightweight safety shoe for chilled and ambient areas.

- Metal free - excellent for operatives working near metal detectors
- micro-nubuck upper
- Breathable, abrasion resistant lining
- Pierce resistance
- 200J non-metallic toecap
- PU anti-slip SRC rated sole