

PRODUCT DATA SHEET

FlexiTog®



General Purpose Dipped Palm Glove

General handling glove for warehouse and pickers.

Ref: [FT]FG115

Variants: M , L , XL

Area of use: Chiller +5 to -5°C , Cold Weather / Ambient

Job role: Picker

Gender: Unisex



Certification 1: EN 388:2016+A1:2018
2 1 3 1 X

Updated On: 01/08/2025

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

Weight	0.09 kg
Product Material	Acrylic
Packaging	Cardboard Box
Storage Instructions	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
User Instructions	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Commodity Code	61161020 Gloves, impregnated, coated, covered or laminated with rubber, knitted or crocheted
Country of Origin	China

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa

PRODUCT DATA SHEET



OVERVIEW

- Latex splash coated - Better grip and allows moisture to wick away from palm.
- Elasticated wrist - Increased wearer comfort.
- 10 gauge acrylic Wrist binding, increased durability and wear.
- One piece construction, no broken seams.
- Certified to EN388.