



## CLASSIC WHITE DIPPED PALM PICKING GLOVE FG120

A warm and grippy glove for use in chilled environments.

Ref: FG120

Variants: S , M , L , XL

Area of use: Chiller +5 to -5°C , Cold Weather / Ambient

Job role: Picker



Certification 1: EN 388:2016+A1:2018  
3 1 2 1 X

Updated On: 25/02/2024

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

<b>Weight</b>	0.42 kg
<b>Product Material</b>	Nylon/Nitrile foam
<b>Packaging</b>	Cardboard Box
<b>Storage Instructions</b>	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
<b>User Instructions</b>	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
<b>Commodity Code</b>	61161080 Mittens and mitts, impregnated, coated, covered or laminated with plastics or rubber, knitted or crocheted, and gloves, impregnated, coated, covered or laminated with plastics, knitted or crocheted
<b>Country of Origin</b>	Pakistan

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +44 (0)1692 400 300  
Website: <https://www.flexitog.com>

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Netherlands

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

## OVERVIEW

---

- Foam Nitrile coated palm - Non allergenic and allows moisture to wick away from the palm.
- An elasticated wrist provides better fit and comfort.
- One piece construction increases comfort and durability as there are no seams on high wear areas.

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +44 (0)1692 400 300  
Website: <https://www.flexitog.com>

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Netherlands

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk