

PRODUCT DATA SHEET

FlexiTog[®]



Fully-Dipped Icetherm Cold Store Glove

A Terry lined dip coated glove, great for cold store pickers.

Ref: FG6

Variants: S , M , L , XL

Area of use: Cold Store / Freezer -5 to -50°C , Chiller +5 to -5°C

Job role: Picker

Gender: Unisex



Certification 1: EN 388:2016+A1:2018

3 2 3 1 X



Certification 2: EN 511:2006

X 2 X

Updated On: 08/08/2025

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

| | |
|-----------------------------|--|
| Weight | 0.1 kg |
| Product Material | Acrylic |
| Packaging | Cardboard Box |
| Storage Instructions | Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard. |
| User Instructions | Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it. |
| CAT | II |
| DoC | The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements. |
| Commodity Code | 61161020 Gloves, impregnated, coated, covered or laminated with rubber, knitted or crocheted |
| Country of Origin | Pakistan |

PRODUCT DATA SHEET



OVERVIEW

- Nitrile-dipped palms ensure extra strong, durable grip, while the nitrile coating means that no allergic reactions are experienced by the wearer.
- Benefits Looped lining - For extra warmth and comfort
- Non-allergic nitrile coating - No adverse reactions to glove wear
- Elasticated wrist - Better fit and comfort with no cold draughts
- Nitrile dipped palm - Extra strong grip coating for durability
- Conforms to EN 388:2016 and EN 511:2006.

PRODUCT ICONS



STANDARD 100