

PRODUCT DATA SHEET

FlexiTog®



CLASSIC PEAKLESS HELMET FH93

Ref: FH93

Variants: Green , Blue , White , Orange , Red , Yellow

Area of use: Cold Weather / Ambient

Job role: Driver , Picker , Manager

Certification 1: EN397:2012+A1:2012

Certification Valid Until: 23/11/2023

Updated On: 16/04/2025

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Netherlands

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

Weight	0.29 kg
Product Material	Plastic
Packaging	Cardboard Box
User Instructions	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Commodity Code	65061010 Safety headgear of plastics, whether or not lined or trimmed
Country of Origin	Germany

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Netherlands

PRODUCT DATA SHEET



OVERVIEW

- Available in 6 colours - Red, Blue, Orange, Yellow, Green & White
- Polyethylene construction
- Open face
- Light weight
- One size fits all
- Water gutter - For channeling water off helmet
- Ventilated Top - Helps carry moisture away from the head to prevent sweat freezing
- Lattice frame design - For better impact energy absorption
- 6 Point harness - For better impact dispersion
- Manufactured to EN397 specifications

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Netherlands