

PRODUCT DATA SHEET

FlexiTog®



Classic Chukka Safety Boot

Ref: SF102

Variants: 3 (36) , 4 (37) , 5 (38) , 6 (39) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 10.5 (45) , 11 (46) , 12 (47) , 13 (48) , 14 (49) , SP

Area of use: Chiller +5 to -5°C , Cold Weather / Ambient

Job role: Driver , Picker

Gender: Unisex



Certification 1: EN ISO 20345:2011
SBP SRC

Certification Valid Until: 14/04/2025

Updated On: 20/06/2025

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

| | |
|-----------------------------|--|
| Weight | 0.8 kg |
| Product Material | Leather upper/rubber sole |
| Packaging | Shoe Box |
| Storage Instructions | Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard. |
| CAT | II |
| DoC | The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements. |
| Commodity Code | 64039996 Men's footwear with outer soles of rubber, plastics or composition leather, with uppers of leather (not covering the ankle), with in-soles of a length \geq 24 cm (excl. 6403.11-00 to 6403.40.00, 6403.99.11, 6403.99.36, 6403.99.50) |
| Country of Origin | China |

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET



OVERVIEW

- Double density sole - Extra protection
- Fully lined with padded collar - For extra comfort
- 200J Steel Toecap - Steel design provides 200J impact protection
- Safety Rating of SBP SRC

Email: sales@flexitog.com
Phone: +44 1692 400300
Website: <https://www.flexitog.com>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands